



Work Platforms



ACT-8 GALVANIZED

GROUND BASE CONFIGURATIONS						
Single mast						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
10530010	ACT-8 unit ground base 5' 9" x 3' 5" L x 7' H (5 step stair) Galv.		1,8 m 3'-5"	2,1 m 7'-0"	1,656,8 kg 3,645,0 lbs	
10538030	ACT-8 unit ground base 5' 9" x 57' L x 7' H Galv.		17,3 m 56'-9"	2,1 m 7'-0"	4,990,7 kg 10,979,5 lbs	
10538041	ACT-8 unit ground base 5' 9" x 63' L x 7' H Galv.		19,3 m 63'-5"	2,1 m 7'-0"	5,336,2 kg 11,739,6 lbs	
Double mast						
10538052	ACT-8 units ground base 5' 9" x 117' L x 7' H Galv.		35,6 m 117'-0"	2,1 m 7'-0"	10,264,1 kg 22,581,0 lbs	
10538142	ACT-8 units ground base 5' 9" x 125' L x 7' H Galv. (reduced load)		37,6 m 123'-6"	2,1 m 7'-0"	10,740,9 kg 23,630,0 lbs	

FREESTANDING CONFIGURATIONS ¹						
Single mast						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
10530212	ACT-8 unit freestanding base 5' 9" x 3' 5" L x 47' H (5 step stair) Galv.		1,8 m 3'-5"	14,3 m 47'-0"	3,994,5 kg 8,788,0 lbs	
10538096	ACT-8 unit freestanding base 5' 9" x 57' L x 47' H Galv.		17,3 m 56'-9"	14,3 m 47'-0"	7,328,1 kg 16,121,8 lbs	
10538108	ACT-8 unit freestanding base 5' 9" x 63' L x 47' H Galv.		19,5 m 63'-5"	14,3 m 47'-0"	7,673,9 kg 16,882,6 lbs	
Double mast						
10538119	ACT-8 units freestanding base 5' 9" x 117' L x 47' H Galv.		35,7 m 117'-0"	14,3 m 47'-0"	15,041,4 kg 33,091,0 lbs	
10538131	ACT-8 units freestanding base 5' 9" x 125' L x 47' H Galv. (reduced load)		37,7 m 123'-6"	14,3 m 47'-0"	15,518,2 kg 34,140,0 lbs	

¹ Ground bases are included with freestanding base configurations

* Unless otherwise specified, the drive unit included with all the above ACT-8 kits is #10030015 - ACT-8 Elevating Unit (Gas) Galv.




ADDITIONAL EQUIPMENT						
Parts, assemblies and kits						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
10030015	ACT-8 Elevating unit (Gas) Galv.		1,8 m 6'-0"	2,4 m 7'-10"	1,161,2 kg 2,560,0 lbs	
10030071	ACT-8 Elevating unit (Electric) Galv.		1,8 m 6'-0"	2,4 m 7'-10"	1,442,3 kg 3,173,0 lbs	
10030059	ACT-8 Elevating unit CE (Diesel) Galv.		1,8 m 6'-0"	2,4 m 7'-10"	1,305,9 kg 2,873,0 lbs	
20490117	Protection mesh (2' 3" x 2' 3" x 3' 11")		0,69 m 2'-3"	1,2 m 3'-11"	81,3 kg 3,173,0 lbs	
14030019	Ground base for 20" x 20" mast (3' 6" x 6' 0")		1,83 m 6'-0"	0,86 m 2'-10"	368,8 kg 3,173,0 lbs	
14030109	Universal freestanding base		N/A N/A	N/A N/A	1,025,0 kg 3,173,0 lbs	
14530070	Universal freestanding base kit (for 3 steps stair)	includes stair extensions and wooden pads	N/A N/A	N/A N/A	1,105,7 kg 2,432,6 lbs	
13530024	Mast section 20" x 20" x 5' 0" (kit)		0,51 m 1'-8"	1,5 m 5'-0"	151,8 kg 334,6 lbs	
13530013	Mast 20" x 20" x 30' 0" wall ties set included		0,51 m 1'-8"	9,1 m 30'-0"	962,5 kg 2,122,0 lbs	
13530035	2x Masts of 20" x 20" x 30' 0" wall ties sets included		0,51 m 1'-8"	9,1 m 30'-0"	1,925,1 kg 4,244,0 lbs	
21990045	Wall ties set for concrete (2' 0") for 20" x 20" mast		86 cm - 1,3 m * 2'-10" - 4'-2½" *	N/A N/A	51,9 kg 114,3 lbs	
21990078	Wall ties set for concrete (3' 0") for 20" x 20" mast		1,15 - 1,59 m * 3'-9" - 5'-3" *	N/A N/A	58,0 kg 127,7 lbs	
21990067	Angle wall ties set for concrete (10' 0") for 20" x 20" mast		3,0 m 10'-0"	N/A N/A	89,2 kg 196,6 lbs	

* This measure represents the distance between the mast and the wall

EXTENSIONS & BRIDGES GALVANIZED

KITS						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
15590022	Extension kit (5' 9" x 2' 6") right Galv. (ACT-8 & FRSM-20K)		0,76 m 2'-6"	N/A N/A	186,0 kg 410,0 lbs	
15590156	Extension kit (5' 9" x 2' 6") left Galv. (ACT-8 & FRSM-20K)		0,76 m 2'-6"	N/A N/A	186,0 kg 410,0 lbs	
15590044	Extension kit (5' 9"x 5' 0") right Galv.		1,5 m 5'-0"	N/A N/A	381,1 kg 838,4 lbs	
15590178	Extension kit (5' 9"x 5' 0") left Galv.		1,5 m 5'-0"	N/A N/A	381,1 kg 838,4 lbs	
15590033	Extension kit (5' 9" x 3' 4") right Galv.		1,0 m 3'-4"	N/A N/A	238,4 kg 525,6 lbs	
15590167	Extension kit (5' 9" x 3' 4") left Galv.		1,0 m 3'-4"	N/A N/A	238,4 kg 525,6 lbs	
15590055	Extension kit (5' 9" x 6' 8") right Galv.		2,0 m 6'-8"	N/A N/A	410,7 kg 905,4 lbs	
15590189	Extension kit (5' 9" x 6' 8") left Galv.		2,0 m 6'-8"	N/A N/A	410,7 kg 905,4 lbs	
15590066	Extension kit (5' 9" x 10') right Galv.		3,0 m 10'-0"	N/A N/A	583,6 kg 1,286,6 lbs	
15590190	Extension kit (5' 9" x 10') left Galv.		3,0 m 10'-0"	N/A N/A	583,6 kg 1,286,6 lbs	
15590549	Universal taper extension kit (5' 9" x 10') left Galv.		3,1 m 10'-0"	N/A N/A	719,7 kg 1,586,6 lbs	
15590550	Universal taper extension kit (5' 9" x 10') right Galv.		3,1 m 10'-0"	N/A N/A	719,7 kg 1,586,6 lbs	
15590561	Universal taper extension kit (5' 9" x 13' 4") left Galv.		4,1 m 13'-4"	N/A N/A	892,9 kg 1,964,4 lbs	
15590572	Universal taper extension kit (5' 9" x 13' 4") right Galv.		4,1 m 13'-4"	N/A N/A	892,9 kg 1,964,4 lbs	
15590583	Universal taper extension kit (5' 9" x 16' 8") left Galv.		5,1 m 16'-8"	N/A N/A	1,082,0 kg 2,380,4 lbs	
15590594	Universal taper extension kit (5' 9" x 16' 8") right Galv.		5,1 m 16'-8"	N/A N/A	1,082,0 kg 2,380,4 lbs	
15590606	Universal taper extension kit (5' 9" x 20') left Galv.		6,1 m 20'-0"	N/A N/A	1,256,1 kg 2,763,4 lbs	
15590617	Universal taper extension kit (5' 9" x 20') right Galv.		6,1 m 20'-0"	N/A N/A	1,256,1 kg 2,763,4 lbs	
15590628	Universal taper extension kit (5' 9" x 23' 4") left Galv.		7,1 m 23'-4"	N/A N/A	1,494,5 kg 3,287,9 lbs	
15590639	Universal taper extension kit (5' 9" x 23' 4") right Galv.		7,1 m 23'-4"	N/A N/A	1,494,5 kg 3,287,9 lbs	
15590640	Universal taper extension kit (5' 9" x 26' 8") left Galv.		8,1 m 26'-8"	N/A N/A	1,666,8 kg 3,667,0 lbs	
15590651	Universal taper extension kit (5' 9" x 26' 8") right Galv.		8,1 m 26'-8"	N/A N/A	1,666,8 kg 3,667,0 lbs	
15590662	Universal taper extension kit (5' 9" x 30') left Galv.		9,1 m 30'-0"	N/A N/A	1,839,7 kg 4,047,3 lbs	
15590673	Universal taper extension kit (5' 9" x 30') right Galv.		9,1 m 30'-0"	N/A N/A	1,839,7 kg 4,047,3 lbs	
15590358	Central bridge kit (5' 9" x 20') Galv.		6,1 m 20'-0"	N/A N/A	1,025,6 kg 2,261,0 lbs	
15590684	Universal hybrid bridge kit (5' 9" x 30') Galv.		9,1 m 30'-0"	N/A N/A	1,549,2 kg 3,415,4 lbs	
15590695	Universal hybrid bridge kit (5' 9" x 40') Galv.		12,2 m 40'-0"	N/A N/A	2,029,4 kg 4,473,9 lbs	
15590707	Universal hybrid bridge kit (5' 9" x 40') Galv. (for FRSM-20K)		12,2 m 40'-0"	N/A N/A	2,029,4 kg 4,473,9 lbs	
15590718	Universal hybrid bridge kit (5' 9" x 60') Galv.		18,3 m 60'-0"	N/A N/A	3,055,0 kg 6,734,9 lbs	
15590729	Universal hybrid bridge kit (5' 9" x 60') Galv. (for FRSM-20K)		18,3 m 60'-0"	N/A N/A	3,055,0 kg 6,734,9 lbs	

EXTENSIONS & BRIDGES GALVANIZED (continued)

SECTIONS						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
15090016	Extension section (5' 9" x 2' 6") left (green) Galv.		0,76 m 2'-6"	0,71 m 2'-4"	154,2 kg 340,0 lbs	
15090094	Extension section (5' 9" x 2' 6") right (blue) Galv.		0,76 m 2'-6"	0,71 m 2'-4"	154,2 kg 340,0 lbs	
15090027	Extension section (5' 9" x 3' 4") left (green) Galv.		1,02 m 3'-4"	0,71 m 2'-4"	141,5 kg 312,0 lbs	
15090106	Extension section (5' 9" x 3' 4") right (blue) Galv.		1,02 m 3'-4"	0,71 m 2'-4"	141,5 kg 312,0 lbs	
15090038	Extension section (5' 9" x 5' 0") left (green) Galv.		1,5 m 5'-0"	0,71 m 2'-4"	238,6 kg 525,0 lbs	
15090117	Extension section (5' 9" x 5' 0") right (blue) Galv.		1,5 m 5'-0"	0,71 m 2'-4"	238,6 kg 525,0 lbs	
15090049	Extension section (5' 9" x 6' 8") left (green) Galv.		2,03 m 6'-8"	0,71 m 2'-4"	299,4 kg 660,0 lbs	
15090128	Extension section (5' 9" x 6' 8") right (blue) Galv.		2,03 m 6'-8"	0,71 m 2'-4"	299,4 kg 660,0 lbs	
15090050	Extension section (5' 9" x 10' 0") left (green) Galv.		3,05 m 10'-0"	0,71 m 2'-4"	442,3 kg 975,0 lbs	
15090139	Extension section (5' 9" x 10' 0") right (blue) Galv.		3,05 m 10'-0"	0,71 m 2'-4"	442,3 kg 975,0 lbs	
15090162	Taper extension section (5' 9" x 10' 0") left (green) Galv.		3,1 m 10'-0"	N/A N/A	578,3 kg 1,275,0 lbs	
15090173	Taper extension section (5' 9" x 10' 0") right (blue) Galv.		3,1 m 10'-0"	N/A N/A	578,3 kg 1,275,0 lbs	
15090061	Hybrid bridge section (5' 9" x 15' 0") left (orange) Galv.		4,62 m 15'-2"	97 cm 3'-2"	519,4 kg 1,145,0 lbs	
15090140	Hybrid bridge section (5' 9" x 15' 0") right (white) Galv.		4,62 m 15'-2"	97 cm 3'-2"	519,4 kg 1,145,0 lbs	
15090072	Hybrid bridge section (5' 9" x 20' 0") left (orange) Galv.		6,15 m 20'-2"	97 cm 3'-2"	784,7 kg 1,730,0 lbs	
15090151	Hybrid bridge section (5' 9" x 20' 0") right (white) Galv.		6,15 m 20'-2"	97 cm 3'-2"	784,7 kg 1,730,0 lbs	
15090083	Central bridge section (5' 9" x 20' 0") Galv.		6,10 m 20'-0"	1,14 m 3'-9"	834,6 kg 1,840,0 lbs	

ACCESSORIES AND PARTS

PORTABLE CRANE						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
12490118	FRH-4000 hydraulic portable crane for 20" x 20" mast		N/A N/A	N/A N/A	590,9 kg 1,300,0 lbs	
* A cable selection must be made when purchasing a hoist; the price of the cable is included with the purchase of a hoist						
12020049	Cable 3/8" dia. x 109' working length, maximum capacity 4000 lbs, for FRH-4000		N/A N/A	N/A N/A	N/A N/A	
12020038	Cable 3/8" dia. x 156' working length, maximum capacity 3800 lbs, for FRH-4000 crane		N/A N/A	N/A N/A	N/A N/A	
12020027	Cable 5/16" dia. x 241' working length, maximum capacity 2500 lbs, for FRH-2500 and FRH-4000 cranes		N/A N/A	N/A N/A	N/A N/A	
12020016	Cable 1/4" dia. x 364' working length, maximum capacity 1000 lbs, for FRH-2500 and FRH-4000 cranes		N/A N/A	N/A N/A	N/A N/A	
12490129	Self erecting kit for FRH-4000		N/A N/A	N/A N/A	N/A N/A	
* Pre-requisite for #12490129 - Self erecting kit for FRH-4000: MUST have FRH-4000 portable crane						
20491488	FRH-4000 adapter for ACT-8		N/A N/A	N/A N/A	N/A N/A	

OTHERS						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
20990189	Kit single mast blocking system over the platform		N/A N/A	N/A N/A	75,5 kg 166,0 lbs	
14530126	Kit mobile towed for universal base				191,6 kg 421,6 lbs	
14530137	Kit mobile motorized for universal base				191,6 kg 421,6 lbs	
20990280	Reinforced working support kit 16' 8"					
19510062	Reinforced outrigger kit (3/16" x 2" x 2" x 13' 6")					

MISCELLANEOUS PARTS						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
17490023	Guard rail 3' 4" x 4' 2"		1,02 m 3'-4"	1,27 m 4'-2"	13,3 kg 29,3 lbs	
17490034	Extensible guard rail 3' 4" x 3' 7"		1,02 m 3'-4"	1,04 m 3'-5"	13,2 kg 29,0 lbs	
17490045	Plank end guard rail 21" x 3' 6"		59 cm 1'-10"	1,14 m 3'-9"	11,3 kg 25,0 lbs	
17490012	Guard rail 23-1/2" x 4' 2"		60 cm 23 1/2"	1,27 m 4'-2"	9,6 kg 21,2 lbs	
17490326	Access guard rail 3' 4" x 4' 2" (with ladder)		1,02 m 3'-4"	1,27 m 4'-2"	27,3 kg 60,0 lbs	
19010034	Outrigger (3/16" x 2" x 2" x 8' 8")		2,64 m 8'-8"	N/A N/A	16,6 kg 36,6 lbs	
19010045	Outrigger (3/16" x 2" x 2" x 10' 6")		3,20 m 10'-6"	N/A N/A	20,5 kg 45,2 lbs	
20490195	Guard rail sockets for 3' 6" extension		1,3 m 4'-5"	10 cm 4"	10,5 kg 23,1 lbs	
22010027	Central tube (2" x 2" x 2' 0")		0,61 m 2'-0"	N/A N/A	4,5 kg 9,9 lbs	
22010049	Central tube (2" x 2" x 3' 0")		0,91 m 3'-0"	N/A N/A	6,1 kg 13,4 lbs	
22010050	Central tube (2" x 2" x 4' 0")		1,22 m 4'-0"	N/A N/A	8,5 kg 18,7 lbs	
22010061	Central tube (2" x 2" x 5' 0")		1,52 m 5'-0"	N/A N/A	10,3 kg 22,7 lbs	
23040010	Turnbuckle extension (1" x 2" x 15-1/8")		30 cm 1'-0"	N/A N/A	2,0 kg 4,4 lbs	
23040032	Turnbuckle extension (1" x 2" x 2' 3")		60 cm 2'-0"	N/A N/A	3,5 kg 7,6 lbs	
23040021	Turnbuckle extension (1" x 2" x 3' 3")		91 cm 3'-0"	N/A N/A	5,3 kg 11,6 lbs	

OVERHEAD PROTECTION AND WEATHER ENCLOSURE

OVERHEAD PROTECTION ¹						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
26510408	Enclosure roof kit for ACT-8		1,8 m 3'-5"	N/A N/A	122,2 kg 268,8 lbs	
26510419	Enclosure roof kit for FRSM-20K		2,3 m 7'-6"	N/A N/A	171,0 kg 376,1 lbs	
26510420	Enclosure roof kit for extension 3' 4"		1,0 m 3'-4"	N/A N/A	91,9 kg 202,2 lbs	
26510431	Enclosure roof kit for extension 6' 8"		2,0 m 6'-8"	N/A N/A	110,5 kg 243,2 lbs	
26510442	Enclosure roof kit for extension 10' 0"		3,0 m 10'-0"	N/A N/A	201,0 kg 442,3 lbs	
26510453	Enclosure roof kit for extension 13' 4"		4,1 m 13'-4"	N/A N/A	219,7 kg 483,3 lbs	
26510464	Enclosure roof kit for extension 16' 8"		5,1 m 16'-8"	N/A N/A	310,1 kg 682,3 lbs	
26510475	Enclosure roof kit for extension 20' 0"		6,1 m 20'-0"	N/A N/A	328,8 kg 723,3 lbs	
26510486	Enclosure roof kit for extension 23' 4"		7,1 m 23'-4"	N/A N/A	419,3 kg 922,4 lbs	
26510497	Enclosure roof kit for bridge 30' 0"		9,1 m 30'-0"	N/A N/A	496,5 kg 1,092,4 lbs	
26510509	Enclosure roof kit for bridge 40' 0"		12,2 m 40'-0"	N/A N/A	714,8 kg 1,572,5 lbs	
26510510	Enclosure roof kit for bridge 50' 0"		15,2 m 50'-0"	N/A N/A	823,9 kg 1,812,6 lbs	
26510521	Enclosure roof kit for bridge 60' 0"		18,3 m 60'-0"	N/A N/A	1,042,1 kg 2,292,7 lbs	

WEATHER ENCLOSURE ¹						
Part n°	Description	Illustration	Length	Height	Weight	MSRP
26510363	Winter enclosure kit for ACT		1,8 m 3'-5"	N/A N/A	27,6 kg 60,8 lbs	
26510374	Winter enclosure kit for 20k		2,3 m 7'-6"	N/A N/A	46,2 kg 101,6 lbs	
26510251	Winter enclosure kit 2' 6"		0,76 m 2'-6"	N/A N/A	27,6 kg 60,8 lbs	
26510262	Winter enclosure kit 3' 4"		1,0 m 3'-4"	N/A N/A	13,8 kg 30,4 lbs	
26510273	Winter enclosure kit 6' 8"		2,0 m 6'-8"	N/A N/A	27,6 kg 60,8 lbs	
26510284	Winter enclosure kit 10'		3,0 m 10'-0"	N/A N/A	41,5 kg 91,2 lbs	
26510295	Winter enclosure kit 13' 4"		4,1 m 13'-4"	N/A N/A	55,3 kg 121,6 lbs	
26510307	Winter enclosure kit 16' 8"		5,1 m 16'-8"	N/A N/A	69,1 kg 152,1 lbs	
26510318	Winter enclosure kit 20' 0"		6,1 m 20'-0"	N/A N/A	82,9 kg 182,5 lbs	
26510329	Winter enclosure kit 30' 0"		9,1 m 30'-0"	N/A N/A	152,1 kg 334,5 lbs	
26510330	Winter enclosure kit 40' 0"		12,2 m 40'-0"	N/A N/A	179,7 kg 395,3 lbs	
26510341	Winter enclosure kit 60' 0"		18,3 m 60'-0"	N/A N/A	262,6 kg 577,8 lbs	
26510385	Heating cage kit		N/A N/A	N/A N/A	15,3 kg 33,6 lbs	

¹ Tarps are not included in the sale price, and must be purchased separately