Work Platforms



FRSM-20K GALVANIZED

GROUND BASE CONFIGURATIONS						
Single mast						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
10560080	FRSM-20K unit ground base 5' 9" x 8' L x 7' H Galv.		2,4 m 8'-0"	2,1 m 7'-0"	2,082,7 kg 4,582,0 lbs	
10568011	FRSM-20K unit ground base 5' 9" x 48' L x 7' H Galv.		14,6 m 48'-0"	2,1 m 7'-0"	4,122,7 kg 9,070,0 lbs	
10568134	FRSM-20K unit ground base 5' 9" x 55' L x 7' H Galv.		16,7 m 54' 8"	2,1 m 7'-0"	4,599,5 kg 10,121,2 lbs	
10568022	FRSM-20K unit ground base 5' 9" x 68' L x 7' H Galv. (reduced load)		20,7 m 68'-0"	2,1 m 7'-0"	5,185,5 kg 11,408,0 lbs	
Double mast						
10568044	FRSM-20K units ground base 5' 9" x 126' L x 7' H Galv.		38,4 m 126'-0"	2,1 m 7'-0"	10,166,4 kg 22,366,0 lbs	
10568066	FRSM-20K units ground base 5' 9" x 133' L x 7' H Galv. (reduced load)		40,5 m 133'-0"	2,1 m 7'-0"	10,488,6 kg 23,075,0 lbs	

FREESTANDING CONFIGURATIONS[1]						
Single mast						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
10560215	FRSM-20K unit freestanding base 5' 9" x 8' L x 45' H Galv.		2,4 m 8'-0"	13,7 m 45'-0"	4,180,5 kg 9,197,0 lbs	
10568077	FRSM-20K unit freestanding base 5' 9" x 48' L x 45' H Galv.		14,6 m 48'	13,7 m 45'-0"	6,220,0 kg 13,684,0 lbs	
10568145	FRSM-20K unit freestanding base 5' 9" x 55' L x 45' H Galv.		16,7 m 54' 8"	13,7 m 45'-0"	6,696,8 kg 14,735,2 lbs	
10568088	FRSM-20K unit freestanding base 5' 9" x 68' L x 45' H Galv. (reduced load)		20,7 m 68'-0"	13,7 m 45'-0"	7,282,7 kg 16,022,0 lbs	
Double mast						
10568101	FRSM-20K units freestanding base 5' 9" x 126' L x 45' H Galv.		38,4 m 126'-0"	13,7 m 45'-0"	14,360,9 kg 31,594,0 lbs	
10568123	FRSM-20K units freestanding base 5' 9" x 133' L x 45' H Galv. (reduced load)		40,5 m 133'-0"	13,7 m 45'-0"	14,683,6 kg 32,304,0 lbs	

[1] Ground bases are not included in the freestanding base configurations; the bolted base is included.

* Unless otherwise specified, the drive unit included with all the above FRSM-20K kits is #10060018 - FRSM-20K Elevating unit Galv.

ADDITIONAL EQUIPMENT						
Parts, assemblies and kits						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
10060018	FRSM-20K Elevating unit (Gas) Galv.		2,3 m 7'-6"	N/A N/A	1,161,2 kg 2,560,0 lbs	
20490645	Protection mesh (2' 0" x 2' 4" x 5' 10")		0,7 m 2'-4"	1,78 m 5'-10"	36,3 kg 80,0 lbs	
14030019	Ground base for 20" x 20" mast (3' 6" x 6' 0")		1,83 m 6'-0"	0,86 m 2'-10"	368,8 kg 813,0 lbs	
14030110	Bolted base for 20" x 20" mast (6-1/2" H)		N/A N/A	N/A N/A	N/A N/A	
14030109	Universal freestanding base		N/A N/A	N/A N/A	1,025,0 kg 2,255,0 lbs	
14530092	Universal freestanding base kit FRSM-20K (bolted base)	includes stair extensions and wooden pads	N/A N/A	N/A N/A	1,461,3 kg 3,214,8 lbs	
14530081	Universal freestanding base kit FRSM-20K (ground base)	includes stair extensions and wooden pads	N/A N/A	N/A N/A	1,461,5 kg 3,215,3 lbs	
13530046	Mast section 20" x 20" x 5' 0" with rung (kit)		0,51 m 1'-8"	1,5 m 5'-0"	113,3 kg 249,8 lbs	
13530057	Mast 20" x 20" x 30' 0" with rung, wall ties set included		0,51 m 1'-8"	9,1 m 30'-0"	731,8 kg 1,613,4 lbs	
13530068	2x Masts of 20" x 20" x 30' 0" with rung, wall ties sets included		0,51 m 1'-8"	9,1 m 30'-0"	1,463,6 kg 3,226,7 lbs	
21990045	Wall ties set for concrete (2' 0") for 20" x 20" mast		86 cm - 1,3 m * 2'-10" - 4'-2½" *	N/A N/A	51,9 kg 114,3 lbs	

* This measure represents the distance between the mast and the wall

EXTENSIONS & BRIDGES GALVANIZED

KITS						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
15590022	Extension kit (5' 9" x 2' 6") right Galv. (ACT-8 & FRSM-20K)		0,76 m 2'-6"	N/A N/A	186,0 kg 410,0 lbs	
15590156	Extension kit (5' 9" x 2' 6") left Galv. (ACT-8 & FRSM-20K)		0,76 m 2'-6"	N/A N/A	186,0 kg 410,0 lbs	
15590044	Extension kit (5' 9"x 5' 0") right Galv.		1,5 m 5'-0"	N/A N/A	381,1 kg 838,4 lbs	
15590178	Extension kit (5' 9"x 5' 0") left Galv.		1,5 m 5'-0"	N/A N/A	381,1 kg 838,4 lbs	
15590033	Extension kit (5' 9" x 3' 4") right Galv.		1,0 m 3'-4"	N/A N/A	238,4 kg 525,6 lbs	
15590167	Extension kit (5' 9" x 3' 4") left Galv.		1,0 m 3'-4"	N/A N/A	238,4 kg 525,6 lbs	
15590055	Extension kit (5' 9" x 6' 8") right Galv.		2,0 m 6'-8"	N/A N/A	410,7 kg 905,4 lbs	
15590189	Extension kit (5' 9" x 6' 8") left Galv.		2,0 m 6'-8"	N/A N/A	410,7 kg 905,4 lbs	
15590066	Extension kit (5' 9" x 10') right Galv.		3,0 m 10'-0"	N/A N/A	583,6 kg 1,286,6 lbs	
15590190	Extension kit (5' 9" x 10') left Galv.		3,0 m 10'-0"	N/A N/A	583,6 kg 1,286,6 lbs	
15590549	Universal taper extension kit (5' 9" x 10') left Galv.		3,1 m 10'-0"	N/A N/A	719,7 kg 1,586,6 lbs	
15590550	Universal taper extension kit (5' 9" x 10') right Galv.		3,1 m 10'-0"	N/A N/A	719,7 kg 1,586,6 lbs	
15590561	Universal taper extension kit (5' 9" x 13' 4") left Galv.		4,1 m 13'-4"	N/A N/A	892,9 kg 1,964,4 lbs	
15590572	Universal taper extension kit (5' 9" x 13' 4") right Galv.		4,1 m 13'-4"	N/A N/A	892,9 kg 1,964,4 lbs	
15590583	Universal taper extension kit (5' 9" x 16' 8") left Galv.		5,1 m 16'-8"	N/A N/A	1,082,0 kg 2,380,4 lbs	
15590594	Universal taper extension kit (5' 9" x 16' 8") right Galv.		5,1 m 16'-8"	N/A N/A	1,082,0 kg 2,380,4 lbs	
15590606	Universal taper extension kit (5' 9" x 20') left Galv.		6,1 m 20'-0"	N/A N/A	1,256,1 kg 2,763,4 lbs	
15590617	Universal taper extension kit (5' 9" x 20') right Galv.		6,1 m 20'-0"	N/A N/A	1,256,1 kg 2,763,4 lbs	
15590628	Universal taper extension kit (5' 9" x 23' 4") left Galv.		7,1 m 23'-4"	N/A N/A	1,494,5 kg 3,287,9 lbs	
15590639	Universal taper extension kit (5' 9" x 23' 4") right Galv.		7,1 m 23'-4"	N/A N/A	1,494,5 kg 3,287,9 lbs	
15590640	Universal taper extension kit (5' 9" x 26' 8") left Galv.		8,1 m 26'-8"	N/A N/A	1,666,8 kg 3,667,0 lbs	
15590651	Universal taper extension kit (5' 9" x 26' 8") right Galv.		8,1 m 26'-8"	N/A N/A	1,666,8 kg 3,667,0 lbs	
15590662	Universal taper extension kit (5' 9" x 30') left Galv.		9,1 m 30'-0"	N/A N/A	1,839,7 kg 4,047,3 lbs	
15590673	Universal taper extension kit (5' 9" x 30') right Galv.		9,1 m 30'-0"	N/A N/A	1,839,7 kg 4,047,3 lbs	
15590358	Central bridge kit (5' 9" x 20') Galv.		6,1 m 20'-0"	N/A N/A	1,025,6 kg 2,261,0 lbs	
15590684	Universal hybrid bridge kit (5' 9" x 30') Galv.		9,1 m 30'-0"	N/A N/A	1,549,2 kg 3,415,4 lbs	
15590695	Universal hybrid bridge kit (5' 9" x 40') Galv.		12,2 m 40'-0"	N/A N/A	2,029,4 kg 4,473,9 lbs	
15590707	Universal hybrid bridge kit (5' 9" x 40') Galv. (for FRSM-20K)		12,2 m 40'-0"	N/A N/A	2,029,4 kg 4,473,9 lbs	
15590718	Universal hybrid bridge kit (5' 9" x 60') Galv.		18,3 m 60'-0"	N/A N/A	3,055,0 kg 6,734,9 lbs	
15590729	Universal hybrid bridge kit (5' 9" x 60') Galv. (for FRSM-20K)		18,3 m 60'-0"	N/A N/A	3,055,0 kg 6,734,9 lbs	

EXTENSIONS & BRIDGES GALVANIZED (continued)

SECTIONS						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
15090016	Extension section (5' 9" x 2' 6") left (green) Galv.		0,76 m 2'-6"	0,71 m 2'-4"	154,2 kg 340,0 lbs	
15090094	Extension section (5' 9" x 2' 6") right (blue) Galv.		0,76 m 2'-6"	0,71 m 2'-4"	154,2 kg 340,0 lbs	
15090027	Extension section (5' 9" x 3' 4") left (green) Galv.		1,02 m 3'-4"	0,71 m 2'-4"	141,5 kg 312,0 lbs	
15090106	Extension section (5' 9" x 3' 4") right (blue) Galv.		1,02 m 3'-4"	0,71 m 2'-4"	141,5 kg 312,0 lbs	
15090038	Extension section (5' 9" x 5' 0") left (green) Galv.		1,5 m 5'-0"	0,71 m 2'-4"	238,6 kg 525,0 lbs	
15090117	Extension section (5' 9" x 5' 0") right (blue) Galv.		1,5 m 5'-0"	0,71 m 2'-4"	238,6 kg 525,0 lbs	
15090049	Extension section (5' 9" x 6' 8") left (green) Galv.		2,03 m 6'-8"	0,71 m 2'-4"	299,4 kg 660,0 lbs	
15090128	Extension section (5' 9" x 6' 8") right (blue) Galv.		2,03 m 6'-8"	0,71 m 2'-4"	299,4 kg 660,0 lbs	
15090050	Extension section (5' 9" x 10' 0") left (green) Galv.		3,05 m 10'-0"	0,71 m 2'-4"	442,3 kg 975,0 lbs	
15090139	Extension section (5' 9" x 10' 0") right (blue) Galv.		3,05 m 10'-0"	0,71 m 2'-4"	442,3 kg 975,0 lbs	
15090162	Taper extension section (5' 9" x 10' 0") left (green) Galv.		3,1 m 10'-0"	N/A N/A	578,3 kg 1,275,0 lbs	
15090173	Taper extension section (5' 9" x 10' 0") right (blue) Galv.		3,1 m 10'-0"	N/A N/A	578,3 kg 1,275,0 lbs	
15090061	Hybrid bridge section (5' 9" x 15' 0") left (orange) Galv.		4,62 m 15'-2"	97 cm 3'-2"	519,4 kg 1,145,0 lbs	
15090140	Hybrid bridge section (5' 9" x 15' 0") right (white) Galv.		4,62 m 15'-2"	97 cm 3'-2"	519,4 kg 1,145,0 lbs	
15090072	Hybrid bridge section (5' 9" x 20' 0") left (orange) Galv.		6,15 m 20'-2"	97 cm 3'-2"	784,7 kg 1,730,0 lbs	
15090151	Hybrid bridge section (5' 9" x 20' 0") right (white) Galv.		6,15 m 20'-2"	97 cm 3'-2"	784,7 kg 1,730,0 lbs	
15090083	Central bridge section (5' 9" x 20' 0") Galv.		6,10 m 20'-0"	1,14 m 3'-9"	834,6 kg 1,840,0 lbs	

ACCESSORIES AND PARTS

PORTABLE CRANE						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
12490118	FRH-4000 hydraulic portable crane for 20" x 20" mast		N/A N/A	N/A N/A	590,9 kg 1,300,0 lbs	
* A cable selection must be made when purchasing a hoist; the price of the cable is included with the purchase of a hoist						
12020049	Cable 3/8" dia. x 109' working length, maximum capacity 4000 lbs, for FRH-4000		N/A N/A	N/A N/A	N/A N/A	
12020038	Cable 3/8" dia. x 156' working length, maximum capacity 3800 lbs, for FRH-4000 crane		N/A N/A	N/A N/A	N/A N/A	
12020027	Cable 5/16" dia. x 241' working length, maximum capacity 2500 lbs, for FRH-2500 and FRH-4000 cranes		N/A N/A	N/A N/A	N/A N/A	
12020016	Cable 1/4" dia.x 364' working length, maximum capacity 1000 lbs, for FRH-2500 and FRH-4000 cranes		N/A N/A	N/A N/A	N/A N/A	
12490129	Self erecting kit for FRH-4000		N/A N/A	N/A N/A	N/A N/A	
* Pre-requisite for #12490129 - Self erecting kit for FRH-4000: MUST have FRH-4000 portable crane						
20491488	FRH-4000 adapter for ACT-8		N/A N/A	N/A N/A	N/A N/A	

OTHERS						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
20990189	Kit single mast blocking system over the platform		N/A N/A	N/A N/A	75,5 kg 166,0 lbs	
14530126	Kit mobile towed for universal base				191,6 kg 421,6 lbs	
14530137	Kit mobile motorized for universal base				191,6 kg 421,6 lbs	
20990280	Reinforced working support kit 16' 8"					
19510062	Reinforced outrigger kit (3/16" x 2" x 2" x 13' 6")					

MISCELLANOUS PARTS						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
17490023	Guard rail 3' 4" x 4' 2"		1,02 m 3'-4"	1,27 m 4'-2"	13,3 kg 29,3 lbs	
17490034	Extensible guard rail 3' 4" x 3' 7"		1,02 m 3'-4"	1,04 m 3'-5"	13,2 kg 29,0 lbs	
17490045	Plank end guard rail 21" x 3' 6"		59 cm 1'-10"	1,14 m 3'-9"	11,3 kg 25,0 lbs	
17490012	Guard rail 23-1/2" x 4' 2"		60 cm 23 1/2"	1,27 m 4'-2"	9,6 kg 21,2 lbs	
17490326	Access guard rail 3' 4" x 4' 2" (with ladder)		1,02 m 3'-4"	1,27 m 4'-2"	27,3 kg 60,0 lbs	
19010034	Outrigger (3/16" x 2" x 2" x 8' 8")		2,64 m 8'-8"	N/A N/A	16,6 kg 36,6 lbs	
19010045	Outrigger (3/16" x 2" x 2" x 10' 6")		3,20 m 10'-6"	N/A N/A	20,5 kg 45,2 lbs	
20490195	Guard rail sockets for 3' 6" extension		1,3 m 4'-5"	10 cm 4"	10,5 kg 23,1 lbs	
22010027	Central tube (2" x 2" x 2' 0")		0,61 m 2'-0"	N/A N/A	4,5 kg 9,9 lbs	
22010049	Central tube (2" x 2" x 3' 0")		0,91 m 3'-0"	N/A N/A	6,1 kg 13,4 lbs	
22010050	Central tube (2" x 2" x 4' 0")		1,22 m 4'-0"	N/A N/A	8,5 kg 18,7 lbs	
22010061	Central tube (2" x 2" x 5' 0")		1,52 m 5'-0"	N/A N/A	10,3 kg 22,7 lbs	
23040010	Turnbuckle extension (1" x 2" x 15-1/8")		30 cm 1'-0"	N/A N/A	2,0 kg 4,4 lbs	
23040032	Turnbuckle extension (1" x 2" x 2' 3")		60 cm 2'-0"	N/A N/A	3,5 kg 7,6 lbs	
23040021	Turnbuckle extension (1" x 2" x 3' 3")		91 cm 3'-0"	N/A N/A	5,3 kg 11,6 lbs	

OVERHEAD PROTECTION AND WEATHER ENCLOSURE

OVERHEAD PROTECTION [1]						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
26510408	Enclosure roof kit for ACT-8		1,8 m 3'-5"	N/A N/A	122,2 kg 268,8 lbs	
26510419	Enclosure roof kit for FRSM-20K		2,3 m 7'-6"	N/A N/A	171,0 kg 376,1 lbs	
26510420	Enclosure roof kit for extension 3' 4"		1,0 m 3'-4"	N/A N/A	91,9 kg 202,2 lbs	
26510431	Enclosure roof kit for extension 6' 8"		2,0 m 6'-8"	N/A N/A	110,5 kg 243,2 lbs	
26510442	Enclosure roof kit for extension 10' 0"		3,0 m 10'-0"	N/A N/A	201,0 kg 442,3 lbs	
26510453	Enclosure roof kit for extension 13' 4"		4,1 m 13'-4"	N/A N/A	219,7 kg 483,3 lbs	
26510464	Enclosure roof kit for extension 16' 8"		5,1 m 16'-8"	N/A N/A	310,1 kg 682,3 lbs	
26510475	Enclosure roof kit for extension 20' 0"		6,1 m 20'-0"	N/A N/A	328,8 kg 723,3 lbs	
26510486	Enclosure roof kit for extension 23' 4"		7,1 m 23'-4"	N/A N/A	419,3 kg 922,4 lbs	
26510497	Enclosure roof kit for bridge 30' 0"		9,1 m 30'-0"	N/A N/A	496,5 kg 1,092,4 lbs	
26510509	Enclosure roof kit for bridge 40' 0"		12,2 m 40'-0"	N/A N/A	714,8 kg 1,572,5 lbs	
26510510	Enclosure roof kit for bridge 50' 0"		15,2 m 50'-0"	N/A N/A	823,9 kg 1,812,6 lbs	
26510521	Enclosure roof kit for bridge 60' 0"		18,3 m 60'-0"	N/A N/A	1,042,1 kg 2,292,7 lbs	

WEATHER ENCLOSURE [1]						
Part n°	**Description**	**Illustration**	**Length**	**Height**	**Weight**	**MSRP**
26510363	Winter enclosure kit for ACT		1,8 m 3'-5"	N/A N/A	27,6 kg 60,8 lbs	
26510374	Winter enclosure kit for 20k		2,3 m 7'-6"	N/A N/A	46,2 kg 101,6 lbs	
26510251	Winter enclosure kit 2' 6"		0,76 m 2'-6"	N/A N/A	27,6 kg 60,8 lbs	
26510262	Winter enclosure kit 3' 4"		1,0 m 3'-4"	N/A N/A	13,8 kg 30,4 lbs	
26510273	Winter enclosure kit 6' 8"		2,0 m 6'-8"	N/A N/A	27,6 kg 60,8 lbs	
26510284	Winter enclosure kit 10'		3,0 m 10'-0"	N/A N/A	41,5 kg 91,2 lbs	
26510295	Winter enclosure kit 13' 4"		4,1 m 13'-4"	N/A N/A	55,3 kg 121,6 lbs	
26510307	Winter enclosure kit 16' 8"		5,1 m 16'-8"	N/A N/A	69,1 kg 152,1 lbs	
26510318	Winter enclosure kit 20' 0"		6,1 m 20'-0"	N/A N/A	82,9 kg 182,5 lbs	
26510329	Winter enclosure kit 30' 0"		9,1 m 30'-0"	N/A N/A	152,1 kg 334,5 lbs	
26510330	Winter enclosure kit 40' 0"		12,2 m 40'-0"	N/A N/A	179,7 kg 395,3 lbs	
26510341	Winter enclosure kit 60' 0"		18,3 m 60'-0"	N/A N/A	262,6 kg 577,8 lbs	
26510385	Heating cage kit		N/A N/A	N/A N/A	15,3 kg 33,6 lbs	

[1] Tarps are not included in the sale price, and must be purchased separately